PUSH-PULL AGRI

QUICK COUPLINGS ISO 7241/A PUSH-PULL AGRICULTURE

This model allows to joint the male couplers with remaining pressure

Edition. 21.0

CS Carbon Steel

- Type: Quick Couplings
- Models: ISO 7241/A PUSH-PULL AGRICULTURE
- Sizes: DN12,5
- Pressure: up to PN250
- Treatment: Galvanized

SS Stainless Steel

- Type: Quick Couplings
- Models: ISO 7241/A PUSH-PULL AGRICULTURE
- Sizes: DN12,5
- Pressure: up to PN250





Special pin to connect parts under residual pressure.
The pin could be mounted on both sides, male or female.
The opposite side has to be a ISO A standard poppet.

During connection the residual pressure will release by the smaller holes.

PUSH-PULL AGRI

CODE DESCRIPTION STRUCTURE

QC	1/2	1M/F	DN12,5	1	B

Type of coupling
PUSH-PULL AGRI ISO 7241/A

Ends

ISO 1179-1 BSPP	ASME B1.20.1 NPT	ISO 11926-1 (SAE J1926-1) ORB	ISO 8434-6 BSPP MALE
G 1/2	N 1/2	SAE8	G 1/2M

FEMALE

DN/ISO
12,5

Body Material
- **1** = 1,0737
- **4** = 1,4404

Seal material
- **B** = NBR **E** = FKM*
- **E** = FKM

*On request

• PLUG for male coupling

Available colours:
Blue Yellow Red Green



QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female)
FEMALE THREAD ISO 1179-1 BSPP WITH POPPET

TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	CS Carbon Steel ITEM CODE
QC PP AGRI G 1/2 FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 38 32 inch 4,38 1,50 1,26			G1/2	kg 0,227 lb 0,50	NC26G030000

TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	SS Stainless Steel ITEM CODE
QC PP AGRI G 1/2 FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 38 32 inch 4,38 1,50 1,26			G1/2	kg 0,227 lb 0,50	NC26G03S000



QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female)
FEMALE THREAD ASME B1.20.1 NPT WITH POPPET

TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	CS Carbon Steel ITEM CODE
QC PP AGRI N 1/2 FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 38 32 inch 4,38 1,50 1,26			N1/2	kg 0,227 lb 0,50	NC26N030000

TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	SS Stainless Steel ITEM CODE
QC PP AGRI N 1/2 FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 38 32 inch 4,38 1,50 1,26			N1/2	kg 0,227 lb 0,50	NC26N03S000



QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female) FEMALE THREAD ISO 11926-1 (SAE J1926-1) ORB WITH POPPET

								CS Carbon Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE
QC PP AGRI SAE8 FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 inch 4,38	38 1,50	32 1,26	SAE8	kg 0,227 lb 0,50	NC26S030000

								SS Stainless Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE
QC PP AGRI SAE8 FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 inch 4,38	38 1,50	32 1,26	SAE8	kg 0,227 lb 0,50	NC26S03S000



QUICK COUPLINGS PUSH-PULL AGRI ISO 7241/A (female) MALE THREAD ISO 8434-6 BSPP WITH POPPET

								CS Carbon Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE
QC PP AGRI G 1/2M FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 inch 4,38	38 1,50	32 1,26	SAE8	kg 0,227 lb 0,50	NC26E030000

								SS Stainless Steel
TYPE	DN	PN	C	Ød	ch	ØM	WEIGHT	ITEM CODE
QC PP AGRI G 1/2M FEMALE	12,5	MPa 25 Psi 3625	mm 111,2 inch 4,38	38 1,50	32 1,26	SAE8	kg 0,227 lb 0,50	NC26E03S000